ELSEVIER

Journal of Magnetism and Magnetic Materials 287 (2005) xii–xv

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Contents

Selected papers from the seventh Perpendicular Magnetic Recording Conference (PMRC 2004) 31 May – 2 June 2004, Sendai, Japan

Editorial board v

Special issue title page ix

Preface x

Publication committee xi

Contents xii

1. Keynote

S.-i. Iwasaki
Development of perpendicular magnetic recording conference 1

2. Fundamental concept

S.-i. Iwasaki
Principal complementarity between perpendicular and longitudinal magnetic recording 9

J.H. Judy
Advancements in PMR thin-film media 16

Y. Nakamura
Basic design concepts for perpendicular magnetic recording—from viewpoints of high writing ability and resolution 27

3. R/W properties and theories

H.J. Richter and A.Yu. Dobin
Angle effects at high-density magnetic recording 41

J.A. Bain
Analysis and optimization of terabit magnetic recording systems limited by down-track and cross-track write field gradients 51

M. Williams, W. Weresin, B. Lengsfield, A. Moser, L. Nix and R. Payne
Studies of transition noise in media recorded by heads with trailing shields 61

S.J. Greaves, A.M. Goodman, H. Muraoka and Y. Nakamura
Exchange coupling and grain-size distributions in perpendicular recording media 66

M. Igarashi, M. Hara, A. Nakamura and Y. Sugita
Computer simulation of the thermal stability in perpendicular recording media using the thermal acceleration method 72

W. Xia, T. Yamada, H. Aoi, H. Muraoka and Y. Nakamura
Reduction of track width in perpendicular magnetic recording 77

K. Yoshida, A. Suzuki and H. Yanagihara
Calculations of magnetization configurations of SPT head using micromagnetic model 83

N. Takahashi, M. Ohtake and K. Shinagawa
3-D FEM analysis of writing characteristics of CF-SPT head in cross-track and down-track directions 89

E. Miyashita, N. Funabashi, R. Taguchi, T. Tamaki and S. Nakamura
Dependence of thermal decay on the magnetic cluster size of perpendicular magnetic recording media 96

H. Saito, Y.W. Rheem and S. Ishio
Simulation of high-resolution MFM tips for high-density magnetic recording media with low bit aspect ratio 102

T. Komakine, N. Honda and K. Ouchi
Analysis of overwrite spectrum in perpendicular magnetic recording 107

N. Honda, T. Kiya and K. Ouchi
Simulation study of nonlinear transition shift in perpendicular magnetic recording media with increased M–H loop slope 113

T. Kiya, N. Honda, J. Ariake and K. Ouchi
Effect of parameters of media on perpendicular magnetic recording properties 118

M. Hashimoto, K. Miura, H. Muraoka, H. Aoi and Y. Nakamura
Influence of magnetic cluster size distribution on SNR and bit error rate in perpendicular magnetic recording 123

A. Yatagai, K. Miura, H. Muraoka, H. Aoi and Y. Nakamura
Noise characterization of perpendicular magnetic media using autocorrelation method 128

K. Miura, H. Muraoka, H. Aoi and Y. Nakamura
Correlation between transition parameter and transition jitter using Voronoi cell modeling 133

Y. Suzuki, Y. Nishida and H. Aoi
Spacing loss factor for the read back from a perpendicular medium with a soft underlayer 138

K. Taguchi, S. Takahashi, K. Yamakawa and K. Ouchi
Control of transition shift using DC-bias current 144

doi:10.1016/S0304-8853(05)00047-8

ELSEVIER

Journal of Magnetism and Magnetic Materials 287 (2005) xii–xv

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Contents

Selected papers from the seventh Perpendicular Magnetic Recording Conference (PMRC 2004) 31 May – 2 June 2004, Sendai, Japan

Editorial board v

Special issue title page ix

Preface x

Publication committee xi

Contents xii

1. Keynote

S.-i. Iwasaki
Development of perpendicular magnetic recording conference 1

2. Fundamental concept

S.-i. Iwasaki
Principal complementarity between perpendicular and longitudinal magnetic recording 9

J.H. Judy
Advancements in PMR thin-film media 16

Y. Nakamura
Basic design concepts for perpendicular magnetic recording—from viewpoints of high writing ability and resolution 27

3. R/W properties and theories

H.J. Richter and A.Yu. Dobin
Angle effects at high-density magnetic recording 41

J.A. Bain
Analysis and optimization of terabit magnetic recording systems limited by down-track and cross-track write field gradients 51

M. Williams, W. Weresin, B. Lengsfield, A. Moser, L. Nix and R. Payne
Studies of transition noise in media recorded by heads with trailing shields 61

S.J. Greaves, A.M. Goodman, H. Muraoka and Y. Nakamura
Exchange coupling and grain-size distributions in perpendicular recording media 66

M. Igarashi, M. Hara, A. Nakamura and Y. Sugita
Computer simulation of the thermal stability in perpendicular recording media using the thermal acceleration method 72

W. Xia, T. Yamada, H. Aoi, H. Muraoka and Y. Nakamura
Reduction of track width in perpendicular magnetic recording 77

K. Yoshida, A. Suzuki and H. Yanagihara
Calculations of magnetization configurations of SPT head using micromagnetic model 83

N. Takahashi, M. Ohtake and K. Shinagawa
3-D FEM analysis of writing characteristics of CF-SPT head in cross-track and down-track directions 89

E. Miyashita, N. Funabashi, R. Taguchi, T. Tamaki and S. Nakamura
Dependence of thermal decay on the magnetic cluster size of perpendicular magnetic recording media 96

H. Saito, Y.W. Rheem and S. Ishio
Simulation of high-resolution MFM tips for high-density magnetic recording media with low bit aspect ratio 102

T. Komakine, N. Honda and K. Ouchi
Analysis of overwrite spectrum in perpendicular magnetic recording 107

N. Honda, T. Kiya and K. Ouchi
Simulation study of nonlinear transition shift in perpendicular magnetic recording media with increased M–H loop slope 113

T. Kiya, N. Honda, J. Ariake and K. Ouchi
Effect of parameters of media on perpendicular magnetic recording properties 118

M. Hashimoto, K. Miura, H. Muraoka, H. Aoi and Y. Nakamura
Influence of magnetic cluster size distribution on SNR and bit error rate in perpendicular magnetic recording 123

A. Yatagai, K. Miura, H. Muraoka, H. Aoi and Y. Nakamura
Noise characterization of perpendicular magnetic media using autocorrelation method 128

K. Miura, H. Muraoka, H. Aoi and Y. Nakamura
Correlation between transition parameter and transition jitter using Voronoi cell modeling 133

Y. Suzuki, Y. Nishida and H. Aoi
Spacing loss factor for the read back from a perpendicular medium with a soft underlayer 138

K. Taguchi, S. Takahashi, K. Yamakawa and K. Ouchi
Control of transition shift using DC-bias current 144

doi:10.1016/S0304-8853(05)00047-8

Y. Aoyagi, T.K. Taguchi, M. Takagishi and Y. Tanaka
Practical resolution analysis of perpendicular recording 149

4. Recording media

4.1. Oxide composite media

H. Yamane, S. Watanabe, J. Ariake, N. Honda, K. Ouchi and S. Iwasaki
Effect of oxygen on magnetic properties of Co–Pt–Cr–SiO_2 thin films for perpendicular recording media 153
G. Choe, M. Zheng, E.N. Abarra, B.G. Demczyk, J.N. Zhou, B.R. Acharya and K.E. Johnson
High-performance CoPtCrO perpendicular media: optimizing exchange coupling and anisotropy orientation dispersion 159
T. Chiba, J. Ariake and N. Honda
Structure and magnetic properties of Co–Pt–Ta_2O_5 film for perpendicular magnetic recording media 167
T. Keitoku, J. Ariake and N. Honda
Preparation condition of Co–Pt–Cr–SiO_2 films with high coercivity 172
K. Shimoda, T. Sugimoto, R. Inamura, T. Ohshima, D. Kaneko, S. Takefusa, T. Uzumaki and A. Tanaka
Recording characteristics of CoPtCr–SiO_2 perpendicular media 176

4.2. Multilayer media

N. Speetzen, B.J.H. Stadler, E. Yuan, R.H. Victora, X. Qi, J.H. Judy, N. Supper and T. Pohkil
Co/Pd multilayers for perpendicular magnetic recording media 181
M. Tanaka, J. Kawaji, K. Kimura, T. Asahi, T. Homma, S. Matsunuma and T. Osaka
Microstructure of a Co/Pd multilayered perpendicular recording medium with Pd seeds prepared by electrochemical process 188
S. Nakagawa and H. Yoshikawa
Effect of roughness and continuity of Co layers to magnetic properties of Co/Pd multilayers 193
T. Asahi, M. Tanaka, J. Sayama, J. Kawaji, S. Matsunuma and T. Osaka
Effect of N_2 additive gas during sputtering on magnetic properties and microstructure of CoB/Pd multilayered media 199

4.3. High H_k media

S. Nakagawa and T. Kamiki
Highly (001) oriented FePt ordered alloy thin films fabricated from Pt(100)/Fe(100) structure on glass disks without seed layers 204
T. Aoyama, I. Sato, H. Ito and S. Ishio
B ion implantation effects on $L1_0$ chemical ordering of FePt thin films 209
K. Kawai, S. Honda, R. Sugiki, M. Komatsu and K. Kawabata
High coercive FePt alloys prepared by a new sputtering method 214
G. Li, H. Takahoshi, H. Ito, T. Washiya, H. Saito, S. Ishio, T. Shima and K. Takanashi
Mechanism of magnetization process of island-like $L1_0$ FePt films 219
Z. Zhang, A.K. Singh, J. Yin, A. Perumal and T. Suzuki
Double-layered perpendicular magnetic recording media of granular-type FePt–MgO films 224
J. Ariake, T. Chiba, S. Watanabe, N. Honda and K. Ouchi
Magnetic and structural properties of Co–Pt perpendicular recording media with large magnetic anisotropy 229

4.4. Other media

H. Nishio, Y. Ota, M. Maekawa and H. Yamamoto
Thermal stability of information storage tapes prepared from very fine metal particles 234
J. Sayama, K. Mizutani, T. Asahi, J. Ariake, K. Ouchi, S. Matsunuma and T. Osaka
Magnetic properties and microstructure of $SmCo_5$ thin film with perpendicular magnetic anisotropy 239
J. Kawaji, F. Kitaizumi, H. Oikawa, D. Niwa, T. Homma and T. Osaka
Area selective formation of magnetic nanodot arrays on Si wafer by electroless deposition 245
T. Rahman, X. Liu, A. Morisako and M. Matsumoto
TbFeco film with W underlayer and overlayer for perpendicular magnetic recording 250
N. Funabashi, E. Miyashita, R. Taguchi, T. Tamaki and S. Nakamura
Read/write characteristics and thermal decay on Tb–Fe–Co/Co–Cr–Pt–B hybrid perpendicular magnetic recording media 255

4.5. Soft underlayers

S. Takahashi, K. Yamakawa, K. Ouchi and S.-i. Iwasaki
Grooved soft-underlayer for double-layered medium 260
K. Shintaku, K. Ise, T. Kiya, K. Yamakawa and K. Ouchi
Fe–Co–Al–O soft magnetic films for main pole of CF-SPT head and underlayer of perpendicular double-layered media 265
S.N. Piramanayagam, H.B. Zhao, M. Dewi and B.C. Lim
Investigations on annealed Ni–P in Al–Mg/Ni–P substrates as soft underlayer for perpendicular recording media 271
T. Kurosawa and N. Honda
Distributions and dynamics of spike noise in double-layered perpendicular recording media 276
S. Ito, T. Okamoto, S.-H. Kong and S. Nakagawa
Fe–Co–B/[Ni–Fe/Si] soft magnetic underlayer with high anisotropy field along cross-track direction on disk substrate 281
A. Hashimoto, S. Saito and M. Takahashi
Magnetization reversal mechanism of soft magnetic underlayer pinned by antiferromagnetic layer 287
T. Osaka, T. Asahi, T. Yokoshima and J. Kawaji
Electroless-deposited soft magnetic underlayer on

silicon disk substrate for double-layered perpendicular magnetic recording media 292

4.6. Magnetic measurements

A. Moser, M. Xiao, P. Kappenberger, K. Takano, W. Weresin, Y. Ikeda, H. Do and H.J. Hug
High-resolution magnetic force microscopy study of high-density transitions in perpendicular recording media 298

J.-S. Yang and C.-R. Chang
Fast switching in single-domain particles with uniaxial quartic anisotropy 303

S. Das and S. Nakagawa
An approach to estimate the magnetic anisotropy constants in a CoCrPt recording layer with a NiFe soft underlayer 308

S. Das and S. Nakagawa
Study of magnetization reversal phenomena in CoCrTaPt perpendicular recording thin film media in a tilted magnetic field 314

N. Kikuchi, R. Murillo and J.C. Lodder
AHE measurements of very thin films and nanosized dots 320

5. Recording heads and HDI

M. Covington, M. AlHajDarwish, Y. Ding, A. Rebei, G.J. Parker, N. Gokemeijer and M.A. Seigler
Spin transfer effects in current perpendicular to the plane spin valves 325

K. Nakamura, T. Shimakura and H. Suzuki
Magnetic field measurement for analysis of GHz response in SPT head using electron beam tomography 333

B. Liu, J. Liu and T.-C. Chong
Slider design for sub-3-nm flying height head–disk systems 339

K. Takano
Magnetization dynamics of perpendicular writers 346

K. Hirata, T. Roppongi and K. Noguchi
A study of pole material properties for pole erasure suppression in perpendicular recording heads 352

J. Heidmann, H. Do, M. Xiao, K. Takano and Y. Ikeda
Experimental study of the head/medium magneto dynamics in perpendicular recording 357

Y. Kanai, H. Watanabe, H. Muraoka and Y. Nakamura
Single-pole-type head showing a large recording field suitable for 1 Tbpsi with discrete-track media 362

K. Yamakawa, K. Ise, K. Ouchi, K. Sagae, H. Muraoka, H. Aoi and Y. Nakamura
New high field single-pole head design with an ultrafine coil 367

M. Mochizuki, C. Ishikawa, Y. Okada and K. Nakamoto
Reduction in remanent magnetization using a multilayered single-pole writer 372

K. Ise, K. Yamakawa, N. Honda, K. Ouchi, H. Muraoka and Y. Nakamura
Cusp-field single-pole head with narrow trailing gap 376

M. Doi, M. Izumi, Y. Abe, H. Fukuzawa, H.N. Fuke, H. Iwasaki and M. Sahashi
Exchange coupling and NOL magnetism consideration in $Co_{1-x}Fe_x$ specular spin-valves 381

N. Hayashi, Y. Miyamoto, K. Machida and T. Tamaki
Influence of underlayers on the soft magnetic properties of Fe–Co–Al–O films 387

M. Nawate, S. Honda and H. Tanaka
Domain wall confinement with thin film edges 392

6. Signal processing

W. Tan and J.R. Cruz
Evaluation of detection algorithms for perpendicular recording channels with intertrack interference 397

Y. Nakamura, Y. Okamoto, H. Osawa, H. Muraoka and Y. Nakamura
Performance comparison of post-processor for PRML channel in perpendicular magnetic recording 405

J. Lee and J. Lee
A PRML with modified branches of a dual MTR code for high-density PMR channels 410

H. Isozaki, Y. Okamoto, H. Osawa, H. Muraoka and Y. Nakamura
Influence of overwrite noise on performance of PRML channels in perpendicular magnetic recording 416

T. Kusumi, K. Yamakawa and K. Ouchi
Head position control on quasi-static read/write tester 421

S. Mita
A generalized data discrimination scheme using kernel machines in the presence of pattern-dependent noise 426

M.Z. Ahmed, P.J. Davey and Y. Kurihara
Constructive inter-track interference (CITI) codes for perpendicular magnetic recording 432

I.T. Ntokas, P.W. Nutter and B.K. Middleton
Evaluation of read channel performance for perpendicular patterned media 437

I. Ozgunes and W.R. Eppler
Modeling of the nonlinear perpendicular recording readback signal 442

7. Storage systems

M.H. Kryder and R.W. Gustafson
High-density perpendicular recording—advances, issues, and extensibility 449

D. Guarisco, Y. Wu, P. Luo, B.E. Higgins and K. Saito
Perpendicular integration challenges 459

Y. Tanaka
Recording performance and system integration of perpendicular magnetic recording 468

A.S. Kao, H.J. Lee, G. Bekkers and S. Hong
Wide-area track erasure in perpendicular recording 475

T. Tanaka, S. Yamamoto, H. Kurisu and M. Matsuura
Eddy current effect in soft magnetic backlayer for PMR media 481

H. Yamada, T. Shimatsu, I. Watanabe, R. Tsuchiyama, H. Aoi, H. Muraoka and Y. Nakamura
Read/write performance of perpendicular double-layered cylindrical media 486

8. New storage technologies

Y. Ohsawa
Fabrication and in situ magnetoresistance measurement of a Ni point-contact in planar configuration 491

W.F. Egelhoff, Jr., L. Gan, H. Ettedgui, Y. Kadmon, C.J. Powell, P.J. Chen, A.J. Shapiro, R.D. McMichael, J.J. Mallett, T.P. Moffat, M.D. Stiles and E.B. Svedberg
Artifacts that mimic ballistic magnetoresistance 496

T. Onoue, M.H. Siekman, L. Abelmann and J.C. Lodder
Heat-assisted magnetic probe recording on a CoNi/Pt multilayered film 501

Author index to volume 287 507

Subject index to volume 287 513